




## China abec 5 Bearing Supplier



### 51134 NTN Thrust Spherical Roller Bearing

Bearing No. 51134

Size	170x215x34 mm
Bore Diameter	170 mm
Outer Diameter	215 mm
Width	34 mm
d	170 mm
D	215 mm
T	34 mm
d1	213 mm
r min.	1,1 mm
D1	172 mm
da min.	197 mm
Da max.	188 mm
ra max.	1 mm
Weight	2,77 Kg
Basic dynamic load rating (C)	134 kN
Basic static load rating (C0)	510 kN
(Grease) Lubrication Speed	1 100 r/min
Category	Thrust Ball Bearing
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	2.672
Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction

51134 Bearing 2D drawings and 3D CAD models



## China abec 5 Bearing Supplier

Banded	No
Cage Material	Steel
Precision Class	ABEC 1   ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row   With Flat Seat
Long Description	170MM Bore 1; 172MM Bore 2; 215MM Outside Diameter; 34MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1   ISO P0 Precision
Inch - Metric	Metric
Category	Thrust Ball Bearings
UNSPSC	31171552
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	51134
Weight / LBS	6.1068
Bore 2	6.772 Inch   172 Millimeter
Outside Diameter	8.465 Inch   215 Millimeter
Height	1.339 Inch   34 Millimeter
Bore 1	6.693 Inch   170 Millimeter
Overall Height with Aligning Washer	0 Inch   0 Millimeter
bore diameter:	170 mm
dynamic load capacity:	134000 N
outside diameter:	213 mm
operating temperature range:	-40 to 120 ° C
overall width:	34 mm



## China abec 5 Bearing Supplier

maximum rpm:	1600 rpm
thrust bearing type:	Single-Direction
bearing material:	High Carbon Chrome Steel
outside diameter design:	Straight
cage material:	Steel
separable or banded:	Separable
fillet radius:	1.1 mm
precision rating:	ISO Class 0
manufacturer product page:	<a href="#">Click here</a>
static load capacity:	510000 N